

SCALEXTRIC

PRICE

SCALEXTRIC

MODEL ELECTRIC MOTOR RACING

REGD.



SCALEXTRIC



officially approved
by *for*
CHAMPION DRIVER

SIXTH EDITION



SCALEXTRIC

THE '30' SET



THE '30' SET comprises

- 1 C/66 Cooper
- 1 C/67 Lotus
- Formula 2 Model Racing Cars
- 4 Standard Curves
- 2 Double Inner Curves
- 1 Straight 'D'
- 1 Starting Line Straight
- 4 Crash Barriers
- 8 Banking Wedges
- 2 Hand Throttles
- 2 Battery Connector Strips



3ft. 3in. x 1ft. 9in.
109 x 74 cm. approx.



SCALEXTRIC

THE '31' SET



THE '31' SET comprises

- 1 C/66 Cooper
- 1 C/67 Lotus
- Formula 2 Model Racing Cars
- 6 Double Inner Curves
- 4 Straights 'B'
- 5 Straights 'D'
- 1 Starting Line Straight
- 4 Crash Barriers
- 12 Banking Wedges
- 2 Bridge Pillars
- 2 Hand Throttles
- 2 Battery Connector Strips



4ft. 11in. x 2ft. 10in.
150 x 86 cm. approx.




SCALEXTRIC

THE '32' SET




THE '32' SET comprises

- 1 C/66 COOPER
- 1 C/67 LOTUS
- Formula 2 Model Racing Cars
- 12 Standard Curves
- 2 Straights 'D'
- 1 Starting Line Straight
- 1 Long Chicane Set
- 6 Crash Barriers
- 10 Banking Wedges
- 12 Oil Drum Obstacles
- 12 Straw Bale Obstacles
- 2 Hand Throttles
- 2 Battery Connector Strips



7ft. 2in. x 2ft. 11in. approx.
219 cm. x 89 cm.



7ft. 2in. x 2ft. 11in. approx.
219 cm. x 89 cm.




7ft. 2in. x 2ft. 11in. approx.
219 cm. x 89 cm.

**SCALEXTRIC**

REGD

THE '50' SET

**THE '50' SET comprises**

- 1 C/72 BRM
- 1 C/73 PORSCHE
- 1 Formula 1 Model Racing Cars
- 10 Standard Curves
- 5 Straights 'D'
- 1 Starting Line Straight
- 1 Fly-Over Bridge complete
- 4 Crash Barriers
- 12 Banking Wedges
- 2 Hand Throttles
- 2 Battery Connector Strips

THE '50S' SET (Not illustrated)

- 1 AUSTIN HEALEY 3000
- 1 MERCEDES 190SL (see page 9)

Track and Accessories as for the '50' Set, above



7ft. 6in. x 2ft. 6in. approx.
229 cm. x 77 cm.



7ft. 4in. x 3ft. 10in. approx.
224 cm. x 117 cm.




7ft. 1in. x 2ft. 6in. approx.
216 cm. x 77 cm.

THE CARS IN THIS SET DO NOT HAVE ELECTRIC LIGHTS

SCALEXTRIC
REGD


THE '55' SET

CARS WITHOUT LIGHTS



THE '55' SET comprises

- 1 C/68 ASTON MARTIN
- 1 C/69 FERRARI
- 10 Standard Curves (Straight)
- 4 Straights 'D'
- 1 Starting Line/Straight
- 1 Fly-Over Bridge Complete
- 1 Long Chicane Set
- 12 Straw Bale Obstacles
- 12 Marker Cones
- 4 Crash Barriers
- 13 Banking Wedges
- 1 Start/Finish Banner
- 2 Hand Throttles
- 2 Battery Connector Strips





SCALEXTRIC

REGD

THE '80' SET

4 LANE RACING SET



THIS IS IT!

MOTOR RACING FOR THE FAMILY

All the Track Layouts illustrated on this page can be made from this one Set

THE '80' SET comprises

- 1 C/72 BRM, Green
- 1 C/72 BRM, Blue
- 1 C/73 PORSCHE, Red
- 1 C/73 PORSCHE, Yellow
- Formula 1 Model Racing Cars

- 8 Standard Curves
- 16 Outer Curves
- 10 Straight "D"
- 2 Starting Line Straights
- 10 Crash Barriers
- 16 Banking Wedges
- 4 Hand Throttles
- 2 Power Boost Connectors



6ft. 11in. x 3ft. 6in.
211 x 107 cm.




6ft. 7in. x 4ft. 4in.
201 x 132 cm.



12ft. 7in. x 5ft. 8in.
383 x 173 cm.



12ft. 3in. x 3ft. 6in.
373 x 107 cm.



13ft. 10in. x 2ft. 9in.
422 x 84 cm.



10ft. 9in. x 5ft. 2in.
327 x 157 cm.



8ft. 3in. x 7ft. 1in.
251 x 216 cm.



10ft. x 5ft. 10in.
306 x 178 cm.



10ft. x 5ft. 4in.
306 x 163 cm.



11ft. 3in. x 4ft. 3in.
343 x 129 cm.



12ft. 2in. x 6ft. 8in.
370 x 173 cm.

SET EXTENSION PACK

LARGER LAYOUTS!


GREATER REALISM!

**EXTEND YOUR SET TO FORM THE
CIRCUITS SHOWN ON THIS PAGE
AND ADD TO ITS REALISM
WITH EXTRA ACCESSORIES**


Contents—

- | | |
|----------------------------------|----------------------------------|
| 1 Hump Back Bridge | 1 Track Officials & Pit Crew Set |
| 2 Change-over Tracks | 1 Vendors & Spectators Set |
| 2 Straights "B" | 1 Sheet Official Flags |
| 1 Start/Finish Banner | 1 Sheet Decorative Flags |
| 1 Starter on Rostrum | |
| 2 Paving Sections with Flagpoles | |
| 1 Gate Unit | |
| 6 Hurdles | |
| 1 Pit Accessories Set | |

CAT. No. HP/1



EXTENDED LAYOUTS FOR THE '30' SET
(see Page 2)



EXTENDED LAYOUTS FOR THE '31' SET
(see Page 2)




EXTENDED LAYOUTS FOR THE '32' SET
(see Page 3)



EXTENDED LAYOUTS FOR THE '50' SET
(see Page 4)



EXTENDED LAYOUTS FOR THE '55' SET
(see Page 5)



TRACK ACCESSORY PACK

CAT. No. HP/2

Contents—

- | |
|-----------------------------------|
| 1 Start/Finish Banner |
| 6 Crash Barriers |
| 12 Straw Bale Obstacles |
| 12 Oil Drum Obstacles |
| 3 Track Borders (Straight "C") |
| 12 Lane Clips (for Track Borders) |
| 1 Pit Accessories Set |
| 1 Sheet Official Flags |
| 1 Sheet Decorative Flags |
| 1 Track Cleaner |





SCALEXTRIC
#420

THE WORLD'S FINEST



C/66
COOPER
FORMULA 2
GREEN/BLUE



C/67
LOTUS
FORMULA 2
BLUE/RED



C/58
COOPER
FORMULA 1
BLUE



C/62
FERRARI
FORMULA 1
RED



C/55
VANWALL
FORMULA 1
GREEN



C/54
LOTUS
FORMULA 1
RED/YELLOW



C/72
B.R.M.
FORMULA 1
GREEN/BLUE



C/73
PORSCHE
FORMULA 1
RED/YELLOW



B/1
TYPHOON
RED/GREEN/BLUE

ST RANGE OF RACING MODELS



C/75
MERCEDES
190SL
WHITE/BLUE



C/74
AUSTIN HEALEY
3000
GREEN/RED



C/61
PORSCHE
YELLOW



C/60
"D" TYPE
JAGUAR
GREEN



C/69
FERRARI G.T.
BLUE/RED

**NO
LIGHTS**



B/2
HURRICANE
RED/GREEN/BLUE



C/68
ASTON MARTIN
GREEN/RED

**NO
LIGHTS**



SCALEXTRIC

NEW!



**C/76
MINI COOPER**
(with Front wheel drive)
GREEN/RED
Available Autumn 1965



**C/70
BUGATTI**
BLUE



**C/64
BENTLEY**
GREEN



**C/71
AUTO-UNION**
YELLOW



**C/65
ALFA ROMEO**
BLUE



**K/1
GO-KART**
RED, BLUE



**E/5
MARSHAL'S CAR**
(with Lights)
BLACK



SCALEXTRIC

RACE TRACK

SELF CONNECTING

FLEXIBLE AND VIRTUALLY UNBREAKABLE

HAND THROTTLES PLUG-IN UNDERNEATH

DESIGNED FOR
CAN BE COMPLETELY INTEGRATED

Connectors are built into each track piece for speedy assembly and secure locking. No loose accessories required. Made of tough but flexible plastic to give ideal surfaces for high speed racing.

Any Straight "D" length of track can be used for connecting to power. No "terminal block" or side projections.

2, 4 or 6 LANE RACING.

with previous rubber track by the use of a pair of small Adaptor Pieces (PT/50 $3\frac{1}{4}$ " 8.7 cm. long—not illustrated).



PT/57
Straight "A"
 $3\frac{1}{4}$ " 7.8 cm. long



PT/58
Straight "B"
 $3\frac{1}{4}$ " 8.7 cm. long



PT/59
Straight "C"
 $6\frac{1}{2}$ " 17.5 cm.



PT/60
Straight "D"
 $13\frac{1}{2}$ " 35 cm. long



PT/63
Starting Line Straight
 $13\frac{1}{2}$ " 35 cm. long



PT/82
Change-Over Track
(2 required) $13\frac{1}{2}$ " 35 cm. long



PT/83
Right Angle Crossing
 $9\frac{1}{2}$ " 22.9 cm. long

(Available approx. Summer 1965)

F-PT/51
Standard Curve (45°)



G-PT/52
Inner Curve (45°)



H-PT/53
Outer Curve (22½°)



J-PT/54
Half Standard Curve (22½°)




K-PT/55
Half Inner Curve (22½°)




L-PT/56
Double Inner Curve (90°)



PT/85
Standard Curve Chicane (45°)



TRACK BORDERS



T/45
Straight "C"
Border

T/44
Inner Curve
Inner



T/43
Inner Curve
Outer



T/42
Standard Curve
Inner



T/41
Standard Curve
Outer

T/40
Outer Curve-
Inner



T/39
Outer Curve-
Outer



A/214
TRACK CLEANER

SCALEXTRIC

And Now -

PIT STOPS AND PITS

THE REAL THING!

PULL OFF THE TRACK INTO THE PITS—
RE-FUEL—TYRE CHANGE—MINOR ADJUSTMENTS AND AWAY.

The New Pit Stop Sections can be built into a variety of True to Life Pit Stops for 2, 4 or 6 Lane Racing. Operation is simple and the Turnouts operate in both directions. It greatly adds to the realism if the Pit Stop is used in conjunction with Fuel Load Gauges (see Page 16).

PT/90 PIT STOP SET (48 1/2", 122.5 cm. long) MANUALLY OPERATED

Comprises:


1 'W' Turnout

1 'S' Lay By




1 'Y' Turnout

1 'T' Lay By

(AVAILABLE SUMMER 1965)




PT/91 'W' Turnout (17 3/8", 43.6cm. long)
PT/92 'X' Crossing (17 3/8", 43.6cm. long)
PT/93 'Y' Turnout (17 3/8", 43.6cm. long)
PT/94 'Z' Crossing (17 3/8", 43.6cm. long)
PT/95 'S' and 'T' Lay By Sections (1Pair)




STOPS!

PADDOCK





MANUALLY OPERATED
FINGER-TIP CONTROL



On 2 Lane Circuits the Paddock is used in conjunction with PT/01 Turnout 'W'. On 4 and 6 Lane Circuits PT/92 Crossing 'X' is also required.

Electric switches enable parked cars to be left in the Paddock while other cars are using the circuit.

It is an ideal accessory for use with Hill Climb and Dragster Layouts (see page 17). Cars may be left standing on the "dead" section of Paddock Track while awaiting their turn up the Hill or on the Dragster Strip.



6 LANE PIT STOP LAYOUTS



SCALEXTRIC

CHICANES

NEW SKID CHICANE


PT/78 **DANGER—SLIPPERY ROAD SURFACE**

The thrill of controlling a skidding car at speed



13 $\frac{1}{2}$ " 35 cm long


(Available
Spring 1965)



PT/74

SHORT CHICANE SET (2 pieces)

27 $\frac{1}{2}$ " 70 cm. long (same length as 2 Straights "D")



PT/76 **LONG CHICANE SET (3 pieces)**

41 $\frac{1}{2}$ " 105 cm. long (same length as 3 Straights "D")

PT/75 **CHICANE STRAIGHT**

13 $\frac{1}{2}$ " 35 cm. long
(centre piece only)



PT/77

**"GOODWOOD"
CHICANE SET**

OVERALL LENGTH 48 $\frac{1}{8}$ " 122.5 cm.

(same length as 3 Straights "D" and 1 Straight "C")

Modelled on the famous hazard used on the Goodwood Park Circuit, England.

- | | |
|--|----------------------|
| 2. Converging Tracks—each 13 $\frac{1}{2}$ " 35 cm. long | 1. Goodwood Wall |
| 1. Straight "C" offset—6 $\frac{1}{2}$ " 17.5 cm. long | 2. Half Tyre Markers |
| 2. Curved Tracks—each 6 $\frac{1}{2}$ " 17.5 cm. long | 12. Marker Cones |
| 3. Black Borders | 12. Straw Bales |
| 8. Lane Clips (for securing borders) | 6. Hurdles |

Holes are provided to accommodate Marker Cones and Bales.

& BRIDGES



PT/68 FLY-OVER BRIDGE (Complete Bridge as supplied with the '50' and '55' Sets)

Comprises:

- | | |
|-----------------|-------------------|
| 1 Straight 'D' | 2 Crash Barriers |
| 2 Straights 'C' | 2 Bridge Supports |

Overall track length 271" - 70 cm.

PT/70 BRIDGE SUPPORTS ONLY

(2 per Set)



A/230
SPANS
(pairs)

A/218
BANKING
TRUSS


A/229 GRAND BRIDGE

(only limited supplies available)



A/248 HUMP BACK BRIDGE

This magnificent bridge is fitted with Plastic parapets which are secured to track without the use of any loose accessories.
Length 134" - 35 cm.



PT/85 STANDARD CURVE CHICANE (45°)

This item of track is designed to give all the excitement of a chicane ON A BEND. It can be used singly on a 45° curve (as illustrated) or with two or more together to produce a longer chicane. Fits into any Standard Curve bend in conjunction with two Converging Chicane pieces (PT/74).






FUEL LOAD GAUGE

FANTASTIC

The Fuel Load Gauge is a magnificent feature of SCALEXTRIC Model Motor Racing. It is specially designed to represent the amount of fuel in a car's tank. The load of fuel that a car carries restricts its maximum performance, but as a race progresses and fuel is used up, the load gets lighter and the maximum speed of the car increases. When the tank is nearly empty, the car then goes its fastest—and of course, when the tank is dry, the car comes to a stop. For short races a "full tank" may not be necessary, while for longer races, pit stops to "refuel" may have to be made. Racing Drivers have to be carefully worked out. The Fuel Load Gauge provides all this exciting realism for Scalextric Racing Drivers. It is simple to connect into the power circuit and comes complete with full instructions.

A large 4-lane circuit

built entirely with
Scalextric



An ideal Accessory for use with the new PIT STOP (see Pages 12-13)


SCALEXTRIC
RECO

The New **HILL CLIMB** and **DRAGSTER TURN**

PT/73

HILL CLIMB AND DRAGSTER TURN SET

Comprises:

- 1 Curved WYE Section
 - 3 Single Lane Curves
- (AVAILABLE SUMMER 1965)

DANGER—STEEP HILL— HILL CLIMB TRIALS IN PROGRESS

Used in conjunction with Standard Scalextric Track Sections this entirely new Set enables your Car to turn at the top of the Hill and return without any handling.

Add one or two Paddocks behind the starting line and a Fuel Load Gauge (see pages 13 and 16) to the Circuit and your realism is complete.

This Set is ideal for use with a Dragster Strip, after the Run your Dragster returns to the Pit or Paddock under its own power.



A SUGGESTION FOR A DRAGSTER STRIP LAYOUT USING TWO SETS



SCALEXTRIC

A/202 RACING PIT

(Pit accessories and car name Boards are separate items, see page 23)



A/208
CONTROL TOWER

(with Flags)

A/238

TIME
KEEPER'S HUT

(with battery operated count down hooter)



A/233

ENTRANCE BUILDINGS

(provided with fittings for use with Palings if required)



*A/226

GATE UNIT



*A/225

PALING SECTION
WITH FLAGPOLE

* Both these items are free standing. They interlock with one another and also with A/233 Entrance Building.

A/201 EVENT BOARD AND HUT

(with Car Names and Numbers)



TRACK LIGHTING

A/203 OWNER'S STAND AND PIT

(with set of Flags and Numbers)



A/209 GRANDSTAND WITH FLAGS

(see page 22 for "Paint them Yourself" Grandstand Figures)



REFRESHMENTS



A/228

REFRESHMENT KIOSK

(complete with equipment)

A/239 TRACK LIGHTING SET

Set comprises:

- 2 A/240 Track lights
- 2 A/241 Buildings Lamps (with Suction Cup)
- 1 A/242 Track Light Cable
- 1 A/243 Cable/Transformer Lead

ALL THE ABOVE SOLD SEPARATELY IF REQUIRED.

A/243


A/241

A/242

A/216

TWIN LOUD SPEAKERS

A/240





SCALEXTRIC

"DO IT YOURSELF" KITS

CONSTRUCT YOUR OWN TRACKSIDE BUILDINGS
YOURSELF FROM THESE SUPERB SCALE MODEL KITS


(Full instructions are given in every kit box)



Back view
of Control Centre



K/704
MARSHAL'S HUT



K/702
OWNER'S STAND
AND RACING PIT




K/703 CONTROL CENTRE

assembled size:

$10\frac{1}{2}$ " x $8\frac{1}{2}$ " x $10\frac{1}{2}$ ", 27 x 22 x 27 cm.,
high to base of Flagpole

NEW



K/701
RACING PIT



K/705
SPECTATORS STAND
(available Spring 1965)



W/62

W/754

W/541

W/116

W/110

W/535

W/581

W/R21

W/406

W/115

W/117

W/586

W/539

W/540

W/20

W/4

W/302

A small selection from the Range of Scalextric Spares, for the full range ask your Service Dealer for a Spares Price List.

Fly-overs of any size can be made by using a Banking Unit (A217) at either end of each set of Trusses.

BANKING
UNIT

Comprises:

- 1 Truss
- 1 Slide
- 1 Rod

A/218 BANKING TRUSS

A/219

BANKING TOE CLIP

For permanently fixing Banking Units to a Baseboard.



SCALEXTRIC

FIGURES AND



F/304

MECHANICS & DRIVERS



F/301

SPECTATORS & PRESS PHOTOGRAPHER



F/305

VENDORS & SPECTATORS



F/303

STARTER ON ROSTRUM

(Flag arm drops to start a race)



F/300

TRACK OFFICIALS & PIT CREW

(complete with Set of Track Flags)

'PAINT THEM YOURSELF' FIGURES GRANDSTAND FIGURES

Beautifully modelled groups of people that can be painted in an unlimited variety of colours to populate your Grandstand and Spectators Stand (see Pages 19 and 20)



F/306A



F/302

T.V. CAMERA
& CREW SET




F/306B

TRACK ACCESSORIES



A/212
START/FINISH BANNER

SHEET No. A/235
Official
International
Signal and
Starting Flags



SHEET No. A/236
Decorative Flags,
Pit Numbers and
Car Numbers



A/252
POWER BOOST
CONNECTOR
Used on very large track
layouts to boost the power circuit
(see "Track Circuits"
leaflet)



A/246
CRASH BARRIER
Flexible 13 1/4", 35 cm. long.

A/247 4/6 LANE CLIP

For securing adjoining tracks in 4 and 6 lane racing (as illustrated). Also for securing track borders (see page 11) to track.




A/237
HURDLES
(white & black)



A/205
STRAW BALE
OBSTACLE



A/255 MARKER CONES



A/244
BANKING WEDGE
(provides variable
banking up to 2", 5 cm., high)



A/213 TRACK SIGNS
(set of 5)



A/227
HALF TYRE
MARKER



A/204
OIL DRUM
OBSTACLE

A/223 PIT ACCESSORIES SET

Comprising:

- 1 Jack
- 1 Toolbox
- 1 Vice
- 1 Fuel Can
- 1 Funnel
- 2 Small Tyres
- 2 Large Tyres
- 1 Fuel Pump
- 1 Hammer



SR/1
SOUND EFFECTS RECORD
(45 r.p.m. Extended Play)

Recording of actual Grand Prix and Tourist Trophy Races provides all the thrilling background sound effects inseparable from motor racing, including start and finish signals. Four two-one long and one short note each for cars and motor cycles.



A/207
PIT NUMBER
BOARDS



A/206
CAR NAME
BOARDS




SCALEXTRIC

REGD.

SCALEXTRIC Sets require a 2 AMP. 12 volt D.C. Transformer/Rectifier incorporating an automatic SAFETY CUT-OUT DEVICE and RESET BUTTON.

Sets do not include Power Unit. Ask your SCALEXTRIC Stockist for full information.



This catalogue illustrates and refers to a number of items which are the subjects of Patent and Registered Designs in Great Britain and many other important countries throughout the world. Details of these are available from Minimodels Ltd., Havant, Hants.

Minimodels Ltd., reserve the right to alter designs and specifications without prior notice. This catalogue supersedes all previous editions and refers to items that will be available during 1965.

MADE IN ENGLAND BY MINIMODELS LTD., HAVANT, HANTS.

